

Laser,
design by Studio Italia Design, 2004–2015

Parete

Laser è una lampada compatta a forma di parallelepipedo dal carattere versatile e architettonico. Dalla sua struttura in acciaio verniciato, disponibile in due dimensioni e in tre diverse finiture, la sorgente a LED diffonde una luce bidirezionale funzionale ed'effetto che crea giochi di luce ed ombra sulla parete.



Laser Cube 10 x 6 Led	Sorgente luminosa	Struttura: Metallo	Diffusore:	Codice	
 	LED <ul style="list-style-type: none"> • 2700 K • 1 x 9W 920 lm • 220-240V • CRI 92 • MacAdam 3-Step LED e driver incluso	<ul style="list-style-type: none"> ● Bianco Opaco 9010 	—	036027	
		<ul style="list-style-type: none"> ● Bronzo Ramato 	—	036028	
			<ul style="list-style-type: none"> ● Nero Opaco 9005 	—	036032
		LED <ul style="list-style-type: none"> • 3000 K • 1 x 9W 980 lm • 220-240V • CRI 92 • MacAdam 3-Step LED e driver incluso	<ul style="list-style-type: none"> ● Bianco Opaco 9010 	—	036023
			<ul style="list-style-type: none"> ● Bronzo Ramato 	—	036024
			<ul style="list-style-type: none"> ● Nero Opaco 9005 	—	036031

Peso netto: 0.50 kg

Peso lordo: 0.67 kg

Colli: N°1

Volume: 0.005 m³




IP30



Energy Saving

Dim Triac

Laser Cube 10 x 10 Led



Sorgente luminosa

- LED
- 3000 K
 - 1 x 16W | 1800 lm
 - 220-240V
 - CRI 92
 - MacAdam 3-Step

LED e driver incluso

- LED
- 2700 K
 - 1 x 16W | 1700 lm
 - 220-240V
 - CRI 92
 - MacAdam 3-Step

LED e driver incluso

Struttura: Metallo

● Bianco Opaco 9010

● Bronzo Ramato

● Nero Opaco 9005

● Bianco Opaco 9010

● Bronzo Ramato

● Nero Opaco 9005

Diffusore:

—

—

—

—

—

—

Codice

036025

036026

036033

036029

036030

036034

Peso netto: 0.60 kg

Peso lordo: 0.76 kg

Colli: N°1

Volume: 0.005 m³




IP30



Energy Saving

Dim Triac

Diagramma polare



Laser Cube 10 x 6 Led

- LED
- 2700 K
 - 1 x 16W | 1700 lm
 - 220-240V
 - CRI 92
 - MacAdam 3-Step

LED e driver incluso


- LED
- 3000 K
 - 1 x 16W | 1800 lm
 - 220-240V
 - CRI 92
 - MacAdam 3-Step

LED e driver incluso

LODES

Diagramma polare

Laser Cube 10 x 10 Led



LED

- 2700 K
- 1 x 16W | 1700 lm
- 220-240V
- CRI 92
- MacAdam 3-Step

LED e driver incluso

LED

- 3000 K
- 1 x 16W | 1800 lm
- 220-240V
- CRI 92
- MacAdam 3-Step

LED e driver incluso