





MAP Starting Point TRIAC



Light source  
Sorgente luminosa

|                                                                    |                |          |
|--------------------------------------------------------------------|----------------|----------|
| LED                                                                | 7,5            | W        |
| Turnable White                                                     | 2700 K         | → 900 lm |
|                                                                    | 3000 K         | → 920 lm |
|                                                                    | 24 V           |          |
|                                                                    | CRI 90         |          |
| TRIAC driver integrated included<br>Driver TRIAC integrato incluso | MacAdam 3-Step |          |

MAP Connection Point



Energy class  
Classe energetica C

| Description<br>Descrizione                                                                                | Metal structure<br>Montatura in metallo                    | Dimming<br>Dimmerazione | Code<br>Codice |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-------------------------|----------------|
| Complete the missing field ( ) by entering the code that identifies the type of light and optics/lens.    | ● Matte Black – 9005<br>Nero Opaco – 9005                  |                         | 22731 2023U    |
| Completa il campo mancante ( ) inserendo il codice che identifica la tipologia di luce e di ottica/lente. | ● Extra Matte Champagne<br>Champagne Extra Opaco           |                         | 22731 4523U    |
|                                                                                                           | ● Natural Brown NSCS8005Y50R<br>Testa di Moro NSCS8005Y50R |                         | 22731 6923U    |

| Type of light<br>Tipologia di luce | Optics or lens<br>Ottica o lente | Suggested application<br>Applicazione suggerita | Complete code<br>Completa codice |
|------------------------------------|----------------------------------|-------------------------------------------------|----------------------------------|
| A                                  | 25°<br>MEDIUM OPTICS             | CEILING LAMP                                    | ME                               |
|                                    | MEDIUM OPTICS + HONEYCOMB        | CEILING LAMP                                    | MEH                              |
| B                                  | 55°<br>WIDE OPTICS               | CEILING LAMP                                    | EW                               |
|                                    | WIDE OPTICS + HONEYCOMB          | CEILING LAMP                                    | EWH                              |
| C                                  | 80°<br>LODES LENS                | CEILING LAMP                                    | UW                               |
| D                                  | INDIRECT LIGHT                   | CEILING LAMP<br>WALL LAMP                       | IL                               |

► Up to 4 Additional Points can be connected to a single Starting Point, for a total of 5 luminaires (1 × Starting Point TRIAC + max. 4 × Additional Points).

► È possibile collegare fino a 4 Additional Points a un unico Starting Point, per un totale di 5 punti luce (1 × Starting Point TRIAC + max. 4 × Additional Points).

| Description<br>Descrizione                            | Metal structure<br>Montatura in metallo                    | Dimming<br>Dimmerazione | Code<br>Codice |
|-------------------------------------------------------|------------------------------------------------------------|-------------------------|----------------|
| MAP Starting Point blind, without a light source.     | ● Matte Black – 9005<br>Nero Opaco – 9005                  |                         | 22734 2000U    |
| MAP Starting Point cieco, privo di sorgente luminosa. | ● Matte Champagne<br>Matte Champagne                       |                         | 22734 4500U    |
|                                                       | ● Natural Brown NSCS8005Y50R<br>Testa di Moro NSCS8005Y50R |                         | 22734 6900U    |

► Up to 5 Additional Points can be connected to a single Connection Point, for a total of 6 units (1 × Connection Point + 5 × Additional Points).


► MAP Connection Point with integrated TRIAC driver.

► È possibile collegare fino a 5 Additional Points a un unico Connection Point, per un totale di 6 elementi (1 × Connection Point + 5 × Additional Points).


► MAP Connection Point con driver TRIAC integrato.

CE IP20 E TRIAC 120V E EAC


MAP Additional Point



|            |          |       |   |
|------------|----------|-------|---|
| Net weight | 0,70 kg  | Pack  | 3 |
| Peso netto | 1,54 lbs | Colli |   |



|            |          |       |   |
|------------|----------|-------|---|
| Net weight | 0,82 kg  | Pack  | 2 |
| Peso netto | 1,80 lbs | Colli |   |



|            |          |       |   |
|------------|----------|-------|---|
| Net weight | 1,30 kg  | Pack  | 2 |
| Peso netto | 2,86 lbs | Colli |   |

Light source  
Sorgente luminosa

|                |                |          |
|----------------|----------------|----------|
| LED            | 7,5            | W        |
| Turnable White | 2700 K         | → 900 lm |
|                | 3000 K         | → 918 lm |
|                | 24 V           |          |
|                | CRI 90         |          |
|                | MacAdam 3-Step |          |

|                   |   |
|-------------------|---|
| Energy class      | C |
| Classe energetica |   |

| Description<br>Descrizione                                                                                | Metal structure<br>Montatura in metallo                  | Code<br>Codice |
|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----------------|
| Complete the missing field ( ) by entering the code that identifies the type of light and optics/lens.    | Matte Black – 9005<br>Nero Opaco – 9005                  | 22732 2023     |
| Completa il campo mancante ( ) inserendo il codice che identifica la tipologia di luce e di ottica/lente. | Extra Matte Champagne<br>Champagne Extra Opaco           | 22732 4523     |
|                                                                                                           | Natural Brown NSCS8005Y50R<br>Testa di Moro NSCS8005Y50R | 22732 6923     |


| Type of light<br>Tipologia di luce | Optics or lens<br>Ottica o lente                  | Suggested application<br>Applicazione suggerita | Complete code<br>Completa codice |
|------------------------------------|---------------------------------------------------|-------------------------------------------------|----------------------------------|
| A                                  | 26°<br>MEDIUM OPTICS<br>MEDIUM OPTICS + HONEYCOMB | CEILING LAMP<br>CEILING LAMP                    | ME<br>MEH                        |
| B                                  | 55°<br>WIDE OPTICS<br>WIDE OPTICS + HONEYCOMB     | CEILING LAMP<br>CEILING LAMP                    | EW<br>EWH                        |
| C                                  | 80°<br>LODES LENS                                 | CEILING LAMP                                    | UW                               |
| D                                  | INDIRECT LIGHT                                    | CEILING LAMP<br>WALL LAMP                       | IL                               |

► MAP Additional Point operates only when connected to a MAP Starting Point TRIAC or a MAP Connection Point via the MAP Tape.

► MAP Additional Point funziona solo se collegato a un MAP Starting Point TRIAC o a un MAP Connection Point tramite la MAP Tape.



MAP Tape



|            |          |       |   |
|------------|----------|-------|---|
| Net weight | 0,45 kg  | Pack  | 1 |
| Peso netto | 0,99 lbs | Colli |   |

| Description<br>Descrizione                                         | Metal structure<br>Montatura in metallo | Code<br>Codice |
|--------------------------------------------------------------------|-----------------------------------------|----------------|
| MAP Tape: tape in 8 m reels.<br>MAP Tape: nastro in bobine da 8 m. | Matte Black<br>Nero Opaco               | 22701 20       |
|                                                                    | Matte Champagne<br>Champagne Opaco      | 22701 45       |
|                                                                    | Natural Brown<br>Testa di Moro          | 22701 69       |



CATEGORY ACCESSORY

MAP Ceiling Bracket




|            |          |       |   |
|------------|----------|-------|---|
| Net weight | 0,02 kg  | Pack  | 1 |
| Peso netto | 0,04 lbs | Colli |   |

| Description<br>Descrizione                                                                                                                                                                                                                          | Metal structure<br>Montatura in metallo | Code<br>Codice |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------|
| MAP Ceiling Bracket is an accessory to be applied when the tape exceeds 2 metres in length between lighting points.<br>MAP Ceiling Bracket è un accessorio da applicare quando il nastro supera i 2 metri di lunghezza tra un punto luce e l'altro. | Matte Black<br>Nero Opaco               | 22702 20       |
|                                                                                                                                                                                                                                                     | Matte Champagne<br>Champagne Opaco      | 22702 45       |
|                                                                                                                                                                                                                                                     | Natural Brown<br>Testa di Moro          | 22702 69       |




MAP Corner Bracket



|            |          |       |   |
|------------|----------|-------|---|
| Net weight | 0,20 kg  | Pack  | 1 |
| Peso netto | 0,44 lbs | Colli |   |

| Description<br>Descrizione                                                                                                                                                                                                                                           | Metal structure<br>Montatura in metallo | Code<br>Codice |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------|
| MAP Corner Bracket is the accessory that allows you to create ceiling-to-wall corners while keeping the tape securely in place.<br>MAP Corner Bracket è l'accessorio che permette di realizzare angoli soffitto-parete mantenendo il nastro saldamente in posizione. | Matte Black<br>Nero Opaco               | 22704 20       |
|                                                                                                                                                                                                                                                                      | Matte Champagne<br>Champagne Opaco      | 22704 45       |
|                                                                                                                                                                                                                                                                      | Natural Brown<br>Testa di Moro          | 22704 69       |



- A MAP Additional Point
- B MAP Tape
- C MAP Ceiling Bracket
- D MAP Corner Bracket
- E MAP Connection Point