

LODES

OUTDOOR


P.		PRODUCT NAME	CATEGORY
054	C	Chelsie 40 Chelsie 140	Step Light Floor Washer
014	F	Focus 28 Focus 48 Focus 60	Multifunctional Projector Multifunctional Projector Multifunctional Projector
038	K	Kinno	Bollard
064	R	Reed 30 Reed 60 Reed 90	Spike Light Spike Light Spike Light

LODES OUTDOOR INTERACTIVE CATALOG

Click on the name of the lamp to go directly to the corresponding chapter.

Clicca sul nome della lampada per accedere direttamente al capitolo corrispondente.





LODES
OUTDOOR

About Lodes

[Click here to visit the website](#)

Lodes designs and manufactures lighting solutions that enhance the quality of living for those who choose them in any environment and situation. We seek a balance between form and functionality to elevate every space with a distinctive decorative touch, without compromising on design or utility. Founded in 1950, *Lodes* narrates an evolutionary journey through three generations, from a pure passion for light to contemporary creations that seamlessly blend design and technological innovation.


Lodes progetta e produce soluzioni illuminotecniche che migliorino la qualità dell'abitare di chi le sceglie, in qualsiasi ambiente e situazione. Cerchiamo l'equilibrio tra forma e funzionalità per valorizzare ogni spazio con un segno decorativo distintivo, senza compromessi né rinunce. Nata nel 1950, *Lodes* racconta un percorso evolutivo attraverso tre generazioni, dalla pura passione per la luce alle creazioni contemporanee che coniugano design e ricerca tecnologica.

Light that combines functionality and beauty: technical precision and design for Outdoor Spaces.

Keyword
Product Design



Keyword
Innovative Solutions



The *Lodes Outdoor* collection does not just illuminate; it defines and enhances outdoor environments. By combining the quality and precision of architectural lighting with the charm and attention to decorative design, it offers solutions where technology and aesthetics coexist in perfect harmony.

Luce che unisce funzionalità e bellezza: precisione tecnica e design per gli spazi esterni. La collezione *Outdoor Lodes* non si limita a illuminare, ma definisce e valorizza gli ambienti esterni. Unendo la qualità e la precisione dell'illuminazione architettonica al fascino e alla cura del design decorativo, offre soluzioni in cui tecnica ed estetica convivono in perfetto equilibrio.

Keyword
Detail-Oriented Design



Keyword
Functionality



Beyond standardisation: a NEW approach to Outdoor Lighting.

Lodes Outdoor Collection
Click here to visit the website



Lodes combines technological excellence and refined design to offer versatile and customisable solutions that create welcoming and evocative atmospheres.


Oltre la standardizzazione: un nuovo approccio all'illuminazione Outdoor. *Lodes* combina eccellenza tecnologica e design raffinato per offrire soluzioni versatili e personalizzabili, capaci di creare atmosfere accoglienti e suggestive.

Professional Solutions in Light and Design.

[BACK TO INDEX](#)

	Product Chelsie	054
	Product Focus	014
	Product Kinno	038
	Product Reed	064

Technology and Light Customisation.



The quality of light, its projection, and customisation, along with energy efficiency, are central elements of the collection (CRI ≥ 90 – SDCM < 3). Each product is designed to deliver high performance without compromising on style, offering high IK and IP ratings and a wide range of available colour temperature options.

Keyword
Impact Protection Rating (IK)

Keyword
Ingress Protection Rating (IP)

Keyword
Colour temperature measured in Kelvin (K)

Innovation for contemporary Outdoor Spaces.

- Step Light
- Floor Washer
- Multifunctional Projector
- Bollard
- Spike Light
- Suspension lamp
- Wall lamp
- Ceiling lamp



Lodes offers solutions tailored to the current needs of those seeking the best for their outdoor spaces.

Innovazione per un outdoor contemporaneo. *Lodes* offre soluzioni pensate per le esigenze attuali di chi cerca il meglio per i propri spazi esterni.

Sustainability and Durability.

Keyword
LED replacement

Keyword
Sustainability

Keyword
Durability

Our products are designed to allow LED replacement over time, ensuring greater longevity and reducing waste. A concrete choice for more sustainable and long-lasting lighting.

Sostenibilità e Durabilità. I nostri prodotti sono progettati per consentire la sostituzione del LED nel tempo, garantendo maggiore durata e riducendo gli sprechi. Una scelta concreta per un'illuminazione più sostenibile e longeva.

Designers

Patrick Norguet



Lodes



Product Chelsie054

Product Focus014

Product Kinno038

Product Reed064

Lodes collaborates with italian and international designers and architecture studios, to shape unique lighting and decorative projects. Thanks to continuous research and experimentation, ideas take shape and the company becomes the meeting place for creative flair, technical expertise, and craftsmanship.

Lodes Designers

Click here to visit the website



PATRICK NORGUET ■ Patrick Norguet approaches objects and design from a graphical perspective. Since childhood, he has preferred sketchbooks to textbooks, filling them up with sketches and drawings. A “hands-on” approach of industry and design studies in Paris (ESDI) mark the unusual profile of this constructive rebel. His career underwent a dramatic change in 2000 when Giulio Cappellini spotted his now famous Rainbow Chair. He joined the circle of designers that matter and created his Parisian studio. Since that time, he has been designing for major producers and renowned brands. For Patrick Norguet, design is first and foremost about happy encounters. What he is most passionate about is exchanging with manufacturers, discovering their know-how; the impulse of a creative intention refined by technical constraints, economic stakes and the expectations of a user whom he hopes to discreetly but durably win over. Drawing inspiration from everything that surrounds him, Patrick Norguet does not follow trends but seeks to give shape to products whose relevance and modernity would withstand the test of time: “A well-designed object, an object created through generous collaboration is timeless.” From consumer products to luxury objects, Patrick Norguet leaves an impression of authenticity and elegance. Today, he is an essential figure on the international design scene.

Patrick Norguet si avvicina agli oggetti e al design da una prospettiva grafica. Fin dall’infanzia ha preferito i taccuini da disegno ai libri di testo, riempiendoli di schizzi e bozzetti. Un approccio “pratico” agli studi industriali e di design a Parigi (ESDI) segna il profilo insolito di questo ribelle costruttivo. La sua carriera ha subito una svolta straordinaria nel 2000, quando Giulio Cappellini ha notato la sua ormai famosa Rainbow Chair. Entra a far parte della cerchia dei designer che conta e crea il suo studio parigino. Da allora, progetta per grandi produttori e marche rinomate. Per Patrick Norguet, il design è prima di tutto sinonimo di incontri felici. Ciò che più lo appassiona è lo scambio con i produttori, la scoperta del loro know-how; l’impulso di un’intenzione creativa affinata da vincoli tecnici, da aspetti economici e dalle aspettative dell’utilizzatore che spera di conquistare in modo discreto ma duraturo. Traendo ispirazione da tutto ciò che lo circonda, Patrick Norguet non segue le tendenze, ma cerca di dare forma a prodotti la cui attualità e modernità possano resistere alla prova del tempo: “Un oggetto ben progettato, un oggetto creato grazie a una collaborazione generosa è senza tempo”. Dai prodotti di consumo agli oggetti di lusso, Patrick Norguet lascia un’impressione di autenticità ed eleganza. È oggi una figura essenziale nel panorama del design internazionale.

LODES ■ Winning ideas often arise from teamwork. This is the experience at Lodes, a brand that welcomes intuition and shapes the ideas of its people – technicians, creatives and industry experts. The results of this synergy between craftsmanship, curiosity and agility are versatile lighting solutions, such as the Sky–Fall suspension lamp and the A–Tube and Puzzle collections. In 2025, a new chapter unfolds with Reed and Puzzle Outdoor, marking the launch of the first Lodes Outdoor collection: each piece is designed to combine decorative detail with advanced technological expertise.

Dal lavoro di squadra nascono molto spesso idee vincenti. È questa l’esperienza di Lodes, un brand che accoglie le intuizioni e dà forma alle idee delle persone dell’azienda – tecnici, creativi, conoscitori del settore. I risultati della sinergia di mestiere, curiosità e velocità, sono soluzioni di luce versatili, come la lampada a sospensione Sky–Fall e le collezioni A–Tube e Puzzle. Nel 2025 nasce un nuovo capitolo del racconto con Reed e Puzzle Outdoor per la prima collezione Lodes Outdoor: ogni elemento è progettato per combinare dettaglio decorativo con un know-how tecnologico avanzato.

LODES OUTDOOR INTERACTIVE CATALOG
Click on the index to explore the catalog. To return to this page, simply click the [BACK TO INDEX](#) button at the top right.

Clicca sull'indice per esplorare il catalogo. Per tornare a questa pagina, basta cliccare sul pulsante [BACK TO INDEX](#) in alto a destra.



Chelsie

Step Light, Floor Washer



054

Focus

Multifunctional Projector



014

Kinno

Bollard



038

Reed

Spike Light



064

focus, designed by Patrick Norguet, 2025

Focus is a multifunctional projector inspired by the world of photography, with lines and design details that evoke camera lenses and optics. The joint, often considered a secondary element, becomes in Focus a distinctive feature of pure design and functionality. Thanks to a wide range of mounting accessories and five available finishes, Focus flexibly adapts to various architectural and landscape applications, offering tailored solutions for every project.

Focus è un proiettore multifunzione che si ispira al mondo della fotografia nelle linee e nel design, con dettagli che evocano ottiche e obiettivi. Lo snodo, spesso considerato un elemento secondario, in Focus diventa un dettaglio di puro design e funzionalità. Grazie a un'ampia gamma di accessori di installazione e alle cinque finiture, Focus si adatta con flessibilità a diverse applicazioni architettoniche e paesaggistiche, offrendo soluzioni su misura per ogni progetto.

FOCUS

Patrick Norguet

Focus 28, 48, 60		COD: 800		Click to discover more		+	
CATEGORY: Multifunctional Projector		APPLICATIONS: Floor, Wall, Ceiling		IP67	IK07	IK08	+

Focus 28, Focus 48	ACCESSORY: Honeycomb	FINISH: Matte Black
--------------------	----------------------	---------------------





Focus 28, Focus 48, Focus 60

FINISHES: Matte Anthracite, Matte Champagne, Natural Brown



Focus 48

ACCESSORY: Honeycomb

FINISH: Natural Brown



Focus 28, Focus 48	FINISH: Matte Black
--------------------	---------------------

focus est un projecteur multifonctions inspiré du monde de la photographie dans ses lignes et son design, avec des détails qui évoquent les optiques et les objectifs. L'articulation, souvent considérée comme une fonction secondaire, devient avec focus un détail de design et de fonctionnalité à part entière. Grâce à une large gamme d'accessoires d'installation et aux cinq finitions, focus s'adapte parfaitement aux différentes applications architecturales et paysagères, offrant des solutions sur mesure pour chaque projet. ■ FR

focus ist ein multifunktionaler Projektor, der in seiner Linienführung und seinem Design von der Welt der Fotografie inspiriert ist, mit Details, die an optische Linsen und Objektive erinnern. Das Gelenk, häufig als sekundäres Element betrachtet, wird bei focus zu einem Detail, das pure Designästhetik und Funktionalität vereint. Dank einer vielfältigen Auswahl an Installationszubehör und der fünf Ausführungen, passt sich focus flexibel an verschiedene architektonische und landschaftliche Anforderungen an und bietet maßgeschneiderte Lösungen für jedes Projekt. ■ DE

focus es un proyector multifunción que se inspira en el mundo de la fotografía en las líneas y el diseño, con detalles que evocan ópticas y objetivos. La articulación, a menudo considerada un elemento secundario, en focus se convierte en un detalle de puro diseño y funcionalidad. Gracias a una amplia gama de accesorios de instalación y los cinco acabados, focus se adapta con flexibilidad a distintas aplicaciones arquitectónicas y paisajísticas y ofrece soluciones a medida para cada proyecto. ■ ES

focus—это многофункциональный прожектор, линии и дизайн которого вдохновляются миром фотографии, а детали напоминают оптику и линзы фотоаппарата. Шарнир, часто считающийся второстепенным элементом, в светильнике focus становится чисто дизайнерской и функциональной деталью. Благодаря широкому ассортименту аксессуаров для установки и пяти вариантам отделки focus гибко адаптируется к различным архитектурным и ландшафтным требованиям, предлагая индивидуальные решения для каждого проекта. ■ RU

focus是一款线条和设计灵感源自摄影界的投射灯，其细节呼应光学镜片和镜头。接头，通常被视为次要元素，但它在focus中却成为一种拥有纯粹设计与功能的细节。得益于丰富的安装配件和五种饰面，focus可灵活适应不同的建筑应用和景观应用，为每个项目提供量身定制化解决方案。■ ZH

Focus 28



Focus 48



The combination of two Focus 48 on a fixing base and one Focus 28 on a strap allows uniform illumination of medium to large trees with florid foliage.

La combinazione di due Focus 48 su base di fissaggio posizionate a terra e di un Focus 28 su cinghia per alberi, permette di illuminare uniformemente alberi di medie/grandi dimensioni, con una chioma rigogliosa.

Focus 28



Focus 48
with Snoot



Focus 60



Focus 28, Focus 48, Focus 60

ACCESSORIES: Honeycomb, Snoot, Cover for base

FINISHES: Matte Black, Natural Green



Focus 48	ACCESSORY: Half-moon glare shield	FINISH: Matte Black
----------	-----------------------------------	---------------------





Focus 28

FINISHES: Matte Black, Natural Brown, Natural Green







Focus 48

ACCESSORY: Honeycomb

FINISH: Matte Champagne

Lodes Outdoor Collection



Focus 28

Dimensions
Dimensioni

Category Categoria	Multifunctional Projector	
Year	2025	
Designer	Patrick Norguet	
Voltage Voltaggio	24 V	
IP67	IK08	Wet Location
  		
Net weight Peso netto	0,20 kg 0,44 lbs	Pack Colli 1


Light source Sorgente luminosa	80001	24V			
	LED 2,7 W	CRI ≥ 90 MacAdam < 3-Step			
Remote driver required (NOT INCLUDED). Driver remoto necessario (NON INCLUSO).	Cable length 1,5 m	Rubber cable Section 2× AWG 20			
	  				
Finish Finitura	20	44	45	69	70
	Matte Black Nero Opaco	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro	Natural Green Verde Natura
Colour temperature Temperatura colore	22	27	30		
	2200 K	2700 K	3000 K		
	310 lm 170 lm	Nominal Flux Delivered Flux	280 lm 182 lm	Nominal Flux Delivered Flux	310 lm 200 lm
Optic Optica	SP	ME	EW		
	Spot	Medium	Extra Wide		
Internal accessory Accessorio interno	H	G	X		
	Honeycomb	Half-moon glare shield	No accessories		
External accessory Accessorio esterno	S	X	Focus with Snoot		
	Snoot	No accessories			

Lodes Outdoor Collection 031

Focus 48



Dimensions
Dimensioni



Category Categoria		Multifunctional Projector
Year	2025	
Designer	Patrick Norguet	
Voltage Voltaggio	24 V	
IP67	IK07	Wet Location
Net weight Peso netto	0,55 kg 1,21 lbs	Pack Colli 1


Light source Sorgente luminosa	80002	24V
	LED 6,1 W	CRI ≥ 90 MacAdam < 3-Step
	Cable length 1,5 m	Rubber cable Section 2× AWG 20
Remote driver required (NOT INCLUDED). Driver remoto necessario (NON INCLUSO).	PWM 24V	

Finish Finitura	20	44	45	69	70
	Matte Black Nero Opaco	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro	Natural Green Verde Natura

Colour temperature Temperatura colore	22	27	30
	2200 K	2700 K	3000 K
	625 lm 455 lm	Nominal Flux Delivered Flux 810 lm 590 lm	Nominal Flux Delivered Flux 880 lm 640 lm

Optic Optica	SP	ME	EW	
	 18° Spot	 24° Medium	 60° Extra Wide	


Internal accessory Accessorio interno	H  Honeycomb	G  Half-moon glare shield	X No accessories	

External accessory Accessorio esterno	S  Snoot	X No accessories	Focus with Snoot  
--	---	--	--

Focus 60



Dimensions
Dimensioni



Category Categoria		Multifunctional Projector
Year	2025	
Designer	Patrick Norguet	
Voltage Voltaggio	24 V	
IP67	IK07	Wet Location
Net weight Peso netto	0,85 kg 1,87 lbs	Pack Colli 1

Light source Sorgente luminosa	80004	24V
	LED 13,4 W	CRI ≥ 90 MacAdam < 3-Step
	Cable length 1,5 m	Rubber cable Section 2× AWG 20
Remote driver required (NOT INCLUDED). Driver remoto necessario (NON INCLUSO).	PWM 24V	

Finish Finitura	20	44	45	69	70
	Matte Black Nero Opaco	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro	Natural Green Verde Natura

Colour temperature Temperatura colore	22	27	30
	2200 K	2700 K	3000 K
	1110 lm 890 lm	Nominal Flux Delivered Flux 1440 lm 1155 lm	Nominal Flux Delivered Flux 1520 lm 1220 lm

Optic Optica	SP  18° Spot	ME  24° Medium	EW  60° Extra Wide	
-----------------	---	---	---	---

Internal accessory
Accessorio interno

H



Honeycomb

G



Half-moon
glare shield

X

No accessories






H




G

External accessory Accessorio esterno	S	X	Focus with Snoot
			
	Snoot	No accessories	

80099

Fixing base
Base di fissaggio



Surface mounting base.
Base di montaggio a superficie.

*
Cover accessory for fixing
base available, to be ordered
separately. ► P. 035


Accessorio di copertura per
base di fissaggio disponibile,
da ordinare separatamente.
► P. 035

Finishes Finiture				
20	Matte Black	Nero Opaco		
44	Matte Anthracite	Antracite Opaco		
45	Matte Champagne	Champagne Opaco		
69	Natural Brown	Testa di Moro		
70	Natural Green	Verde Natura		
20			44	45
			69	70

Net weight Peso netto	0,10 kg 0,22 lbs	Pack Colli	1
--------------------------	---------------------	---------------	---

80098

Connection base
Base per connessioni interne



Surface mounting base with
space for internal connections.
Base di montaggio a superficie
con spazio per connessioni
interne.

Finishes Finiture				
20	Matte Black	Nero Opaco		
44	Matte Anthracite	Antracite Opaco		
45	Matte Champagne	Champagne Opaco		
69	Natural Brown	Testa di Moro		
70	Natural Green	Verde Natura		
20			44	45
			69	70


Net weight Peso netto	0,20 kg 0,44 lbs	Pack Colli	1
--------------------------	---------------------	---------------	---

80097

80096

80095

Stem with fixing base for surface installation
Stelo con base di fissaggio per installazione a
superficie



*
Cover accessory for fixing
base available, to be ordered
separately. ► P. 035


Accessorio di copertura per
base di fissaggio disponibile,
da ordinare separatamente.
► P. 035

Finishes Finiture				
20	Matte Black	Nero Opaco		
44	Matte Anthracite	Antracite Opaco		
45	Matte Champagne	Champagne Opaco		
69	Natural Brown	Testa di Moro		
70	Natural Green	Verde Natura		
20			44	45
			69	70

Net weight Peso netto	A 0,15 kg 0,33 lbs	Pack Colli	1
	B 0,20 kg 0,44 lbs		
	C 0,30 kg 0,66 lbs		

80090

Fixing tree strap (max length 5 m – 196,85")
Cinghia di fissaggio per albero (lunghezza max 5 m – 196,85")




Finish
Finitura

20	Matte Black	Nero Opaco
20		

Net weight Peso netto	0,20 kg 0,44 lbs	Pack Colli	1
--------------------------	---------------------	---------------	---

80089

Spike for direct ground installation
Picchetto per installazione nel terreno



**
The ground spike can be added
only to the base (code 80099)
or to the three stem heights
(codes 80097, 80096, 80095).

Il picchetto può essere aggiunto
solo alla base (cod. 80099) o
alle 3 altezze di stelo (cod. 80097,
80096, 80095).

Finish
Finitura


20	Matte Black	Nero Opaco
20		

Net weight Peso netto	0,10 kg 0,22 lbs	Pack Colli	1
--------------------------	---------------------	---------------	---

Accessory
Accessorio

80088

Cover for fixing base
Copertura per base di fissaggio



Finishes
Finiture

20	Matte Black	Nero Opaco		
44	Matte Anthracite	Antracite Opaco		
45	Matte Champagne	Champagne Opaco		
69	Natural Brown	Testa di Moro		
70	Natural Green	Verde Natura		
20			44	45
			69	70

Net weight Peso netto	0,02 kg 0,04 lbs	Pack Colli	1
--------------------------	---------------------	---------------	---

Product
Prodotto

Focus 28

80001



24 V

Remote driver required (NOT INCLUDED)./Driver remoto necessario (NON INCLUSO).

Focus 48

80002



24 V

Remote driver required (NOT INCLUDED)./Driver remoto necessario (NON INCLUSO).

Focus 60

80004



24 V

Remote driver required (NOT INCLUDED)./Driver remoto necessario (NON INCLUSO).

Finish
Finitura

20

Matte Black
Nero Opaco

44

Matte Anthracite
Antracite Opaco

45

Matte Champagne
Champagne Opaco

69

Natural Brown
Testa di Moro

70

Natural Green
Verde Natura

Colour temp
Temp. colore

22

2200 K
CRI ≥ 90
MacAdam
< 3-Step

27

2700 K
CRI ≥ 90
MacAdam
< 3-Step

30

3000 K
CRI ≥ 90
MacAdam
< 3-Step

Optic
Optica

SP

Spot

ME

Medium

EW

Extra Wide

Int. accessory
Acc. interno

H

Honey-
comb

G

Half-moon
glare shield

X

No acc.

Ext. accessory
Acc. esterno

S

Snoot

X

No acc.

Mounting accessories
Accessori di installazione

Mounting
Installazione

80099



Fixing base
Base di fissaggio

80098



Connection base
Base per connessioni


80097



30 cm
11,81"

Stem with base
Stelo con base

80096



60 cm
23,62"

Stem with base
Stelo con base

80095



90 cm
35,43"

Stem with base
Stelo con base

80090



Tree strap
Cinghia per albero

Finish
Finitura

20

Matte Black
Nero Opaco

44

Matte Anthracite
Antracite Opaco

45

Matte Champagne
Champagne Opaco

69

Natural Brown
Testa di Moro

70

Natural Green
Verde Natura

20

Matte Black
Nero Opaco

80089



Spike
Picchetto

20

Matte Black
Nero Opaco

The ground spike can be added only to the base (code 80099) or to the three stem heights (codes 80097, 80096, 80095).

Il picchetto può essere aggiunto solo alla base (cod. 80099) o alle 3 altezze di stelo (cod. 80097, 80096, 80095).

Configuration examples
Esempi di configurazione

Focus 28

Floor



80001 70 22 SP H S

80097 70

Focus 48

Wall



80002 69 27 ME X X

80098 69

Focus 60

Floor (GROUND)



80004 20 30 EW X X

80099 20

80089 20

036

Focus

Technical info

Lodes Outdoor Collection

037

KINNO, designed by Patrick Norguet, 2025

KINNO

Kinno	cod: 802				Go to the technical info +
CATEGORY: Bollard	APPLICATIONS: Floor, Wall, Ceiling		IP67	IK07	

KINNO is a bollard inspired by the silhouette of a mushroom, blending harmoniously into the natural landscape. It is deliberately designed with gills beneath its cap to create an organic and unexpected effect that evokes the harmony of the natural world. Among its mounting accessories, in addition to the straight stem, there is a wavy version that adds movement and spontaneity to the lighting composition. Available in five finishes and multiple functions, KINNO becomes a true creative tool for landscape designers and architects.

KINNO è un bollard che richiama la silhouette di un fungo, integrandosi armoniosamente nel paesaggio naturale. È volutamente dotato di lamelle sotto la calotta, per creare un effetto organico e inaspettato che evoca l'armonia del mondo naturale. Tra gli accessori di installazione, oltre al stelo dritto, è disponibile una versione curva che dona movimento e spontaneità alla composizione luminosa. Disponibile in cinque finiture e in molteplici funzioni, KINNO diventa un vero e proprio strumento creativo per landscape designer e architetti.

Patrick Norguet



Kinno	FINISH: Natural Brown
-------	-----------------------



Kinno

FINISH: Natural Green



Kinno	FINISH: Matte Black
-------	---------------------



KINNO est un bollard qui rappelle la forme d'un champignon, s'intégrant harmonieusement au paysage naturel. Voulument équipé de lamelles sous la calotte, il crée un effet organique et inattendu qui évoque l'harmonie du monde naturel. Parmi les accessoires de montage, en plus du corps droit, une version courbée est disponible qui apporte du mouvement et de la spontanéité à la composition lumineuse. Disponible en cinq finitions et en multiples fonctions, KINNO devient un véritable instrument créatif pour les paysagistes et les architectes. ■ FR

KINNO ist eine Pollerleuchte, die an die Silhouette eines Pilzes erinnert und sich harmonisch in die natürliche Landschaft einfügt. Gezielt wurden unter dem Leuchterschirm Lamellen angebracht, um einen organisch wirkenden und überraschenden Effekt zu kreieren, der Erinnerungen an die Harmonie der natürlichen Umgebung weckt. Zum Montagezubehör gehört neben dem geraden Stab auch eine gebogene Variante, die Bewegung und Spontaneität in die Lichtkomposition einbringt. Erhältlich in fünf Ausführungen und mit verschiedenen Funktionen wird KINNO auf diese Weise zu einem vollwertigen kreativen Werkzeug für Landschaftsgestalter und Architekten. ■ DE

KINNO es un bolardo que recuerda la silueta de una seta, integrándose armoniosamente en el paisaje natural. Está intencionadamente dotada de láminas bajo la calota para crear un efecto orgánico e inesperado que evoca la armonía del mundo natural. Entre los accesorios de montaje, además del poste recto, hay disponible una versión curva que aporta movimiento y espontaneidad a la composición luminosa. Disponible en cinco acabados y múltiples funciones, KINNO se convierte en una herramienta creativa para paisajistas y arquitectos. ■ ES

KINNO –световой боллард, напоминающий по форме гриб, гармонично вписывается в природный ландшафт. Под колпаком светильника специально предусмотрены пластинки, создающие органичный и неожиданный эффект, вызывающий ассоциации с гармонией природного мира. Монтажные аксессуары, помимо прямого столбика, предусматривают также изогнутую версию, которая придает движение и спонтанность световой композиции. KINNO, доступный в пяти вариантах отделки и с многочисленными функциями, становится подлинным креативным инструментом, предназначенным для ландшафтных дизайнеров и архитекторов. ■ RU

KINNO是一款轮廓酷似蘑菇的短柱灯，与自然景观和谐相融。菌盖下特意配有菌褶，以创造一种有机且意外的效果，呼应自然世界的和谐。组装配件中除了笔直款撑柱外，还有一款弯曲版本可供选择，该版本为灯光组合凭添动感与自然性。具有五种饰面和多种功能，KINNO成为了一件针对景观设计师和建筑师的真正创意工具。■ ZH







Kinno	FINISH: Matte Anthracite
-------	--------------------------



Kinno	FINISH: Matte Champagne
-------	-------------------------



Kinno

Dimensions
Dimensioni

Category
Categoria

Bollard

Year	2025		
Designer	Patrick Norguet		
Voltage Voltaggio	24 V		
IP67	IK07	Wet Location	
  			
Net weight Peso netto	0,55 kg 1,21 lbs	Pack Colli	1

Light source
Sorgente luminosa

80201

LED
7,4 W

CRI ≥ 90
MacAdam < 3-Step

24V

Remote driver required
(NOT INCLUDED).
Driver remoto necessario
(NON INCLUSO).

Cable length 1,5 m

Rubber cable
Section 2× AWG 20

 PWM  24V 

Finish
Finitura

20

Matte Black
Nero Opaco

44

Matte Anthracite
Antracite Opaco

45

Matte Champagne
Champagne Opaco

69

Natural Brown
Testa di Moro

70

Natural Green
Verde Natura

Colour temperature
Temperatura colore

22

2200 K

720 lm

540 lm

Nominal Flux
Delivered Flux

27

2700 K

880 lm

660 lm

Nominal Flux
Delivered Flux

30

3000 K

920 lm


690 lm

Nominal Flux
Delivered Flux

80099



Fixing base
Base di fissaggio



Technical drawing of the fixing base 80099. It shows three views: a top view, a side view, and a front view. The top view shows a square base with a central hole and a diameter of 1.6 cm (0.63 inches). The side view shows a height of 2.6 cm (1.02 inches). The front view shows a height of 5.9 cm (2.32 inches) and a diameter of 0.63 inches.

Surface mounting base.
Base di montaggio a superficie.

*
Cover accessory for fixing base available, to be ordered separately. ► P. 051

Accessorio di copertura per base di fissaggio disponibile, da ordinare separatamente. ► P. 051

Finishes
Finiture

20	Matte Black	Nero Opaco
44	Matte Anthracite	Antracite Opaco
45	Matte Champagne	Champagne Opaco
69	Natural Brown	Testa di Moro
70	Natural Green	Verde Natura

20

44

45

69

70

Net weight
Peso netto

0,10 kg
0,22 lbs


Pack
Colli

1

80098



Connection base
Base per connessioni interne



Technical drawing of the connection base 80098. It shows three views: a top view, a side view, and a front view. The top view shows a square base with a central hole and a diameter of 1.6 cm (0.63 inches). The side view shows a height of 4.8 cm (1.89 inches). The front view shows a height of 8.5 cm (3.35 inches) and a diameter of 0.63 inches.

Surface mounting base with space for internal connections.
Base di montaggio a superficie con spazio per connessioni interne.

*
Cover accessory for fixing base available, to be ordered separately. ► P. 051

Finishes
Finiture

20	Matte Black	Nero Opaco
44	Matte Anthracite	Antracite Opaco
45	Matte Champagne	Champagne Opaco
69	Natural Brown	Testa di Moro
70	Natural Green	Verde Natura

20

44

45

69

70

Net weight
Peso netto

0,20 kg
0,44 lbs


Pack
Colli

1


80097

80096

80095



Stem with fixing base for surface installation
Stelo con base di fissaggio per installazione a superficie



Technical drawing of the stem with fixing base 80097, 80096, 80095. It shows three views: a top view, a side view, and a front view. The top view shows a square base with a central hole and a diameter of 1.6 cm (0.63 inches). The side view shows a height of 30 cm (11.81 inches) for the 80097 stem, 60 cm (23.62 inches) for the 80096 stem, and 90 cm (35.43 inches) for the 80095 stem. The front view shows a height of 5.9 cm (2.32 inches) and a diameter of 0.63 inches.

Surface mounting base with space for internal connections.
Base di montaggio a superficie con spazio per connessioni interne.

*
Cover accessory for fixing base available, to be ordered separately. ► P. 051

Accessorio di copertura per base di fissaggio disponibile, da ordinare separatamente. ► P. 051

Finishes
Finiture

20	Matte Black	Nero Opaco
44	Matte Anthracite	Antracite Opaco
45	Matte Champagne	Champagne Opaco
69	Natural Brown	Testa di Moro
70	Natural Green	Verde Natura

20

44

45

69

70

Net weight
Peso netto

0,15 kg
0,33 lbs


Pack
Colli

1


80297

80296

80295



Waved stem with fixing base for surface installation
Stelo curvo con base di fissaggio per installazione a superficie



Technical drawing of the waved stem with fixing base 80297, 80296, 80295. It shows three views: a top view, a side view, and a front view. The top view shows a square base with a central hole and a diameter of 1.6 cm (0.63 inches). The side view shows a height of 30 cm (11.81 inches) for the 80297 stem, 60 cm (23.62 inches) for the 80296 stem, and 90 cm (35.43 inches) for the 80295 stem. The front view shows a height of 5.9 cm (2.32 inches) and a diameter of 0.63 inches.

Surface mounting base with space for internal connections.
Base di montaggio a superficie con spazio per connessioni interne.

*
Cover accessory for fixing base available, to be ordered separately. ► P. 051

Accessorio di copertura per base di fissaggio disponibile, da ordinare separatamente. ► P. 051

Finishes
Finiture

20	Matte Black	Nero Opaco
44	Matte Anthracite	Antracite Opaco
45	Matte Champagne	Champagne Opaco
69	Natural Brown	Testa di Moro
70	Natural Green	Verde Natura

20

44

45

69

70

Net weight
Peso netto

0,15 kg
0,33 lbs


Pack
Colli

1

80089



Spike for ground mounting
Picchetto per montaggio a terra



Technical drawing of the spike for ground mounting 80089. It shows three views: a top view, a side view, and a front view. The top view shows a square base with a central hole and a diameter of 6 cm (2.36 inches). The side view shows a height of 22.7 cm (8.94 inches). The front view shows a height of 6 cm (2.36 inches) and a diameter of 0.63 inches.

Surface mounting base with space for internal connections.
Base di montaggio a superficie con spazio per connessioni interne.

**
The ground spike can be added only to the fixing base (code 80099), to the three stem heights (codes 80097, 80096, 80095), or to the three waved stem heights (codes 80297, 80296, 80295).

Il picchetto può essere aggiunto solo alla base di fissaggio (cod. 80099), alle 3 altezze di stelo (cod. 80097, 80096, 80095) o alle tre altezze di stelo curvo (cod. 80297, 80296, 80295).

Finish
Finitura

20	Matte Black	Nero Opaco
----	-------------	------------

20


Net weight
Peso netto

0,10 kg
0,22 lbs

Pack
Colli

1

80088



Cover for fixing base
Copertura per base di fissaggio



Technical drawing of the cover for fixing base 80088. It shows three views: a top view, a side view, and a front view. The top view shows a square base with a central hole and a diameter of 6.5 cm (2.56 inches). The side view shows a height of 1 cm (0.39 inches). The front view shows a height of 6.5 cm (2.56 inches) and a diameter of 0.63 inches.

Surface mounting base with space for internal connections.
Base di montaggio a superficie con spazio per connessioni interne.

**
The ground spike can be added only to the fixing base (code 80099), to the three stem heights (codes 80097, 80096, 80095), or to the three waved stem heights (codes 80297, 80296, 80295).

Finishes
Finiture

20	Matte Black	Nero Opaco
44	Matte Anthracite	Antracite Opaco
45	Matte Champagne	Champagne Opaco
69	Natural Brown	Testa di Moro
70	Natural Green	Verde Natura

20

44

45

69

70

Net weight
Peso netto

0,02 kg
0,04 lbs

Pack
Colli

1

CHELSIE, designed by Patrick Norguet, 2025

CHELSIE is a sleek and decorative floor washer that creates refined lighting effects, or functions as a step light in its more compact version. A soft recess conceals the light source, allowing the light to diffuse, while the metal body features a wide beam and high luminous output, available in five or six finishes depending on the diameter. The light source has been intentionally designed to emphasize the decorative quality of its graphic shape. Available in 2 sizes—both delivering exceptional light performance—CHELSIE offers creative freedom: the smaller model, when repeated, subtly and evenly illuminates steps and pathways; the larger version, installed along walls, becomes a design element that defines outdoor spaces.

CHELSIE è un floorwasher essenziale e decorativo che crea raffinati giochi di luce, oppure un segnapasso nella versione più compatta. Una morbida rientranza nasconde la sorgente luminosa e lascia che la luce si diffonda mentre il corpo in metallo ha un fascio aperto ad elevato output luminoso ed è disponibile in cinque o sei finiture a seconda del diametro. La sorgente luminosa è stata progettata volutamente per dare enfasi anche all’aspetto decorativo del suo segno grafico. Disponibile in due dimensioni, entrambe caratterizzate da una straordinaria potenza luminosa, CHELSIE offre libertà creativa: il modello più piccolo, in ripetizione, illumina gradinate e percorsi con un ritmo discreto e uniforme; la versione più grande, installata lungo le pareti, diventa un elemento che scandisce gli spazi esterni.

CHELSIE

Patrick Norguet

Chelsie 40, 140		COD: 801		Click to discover more +	
				Go to the technical info +	
CATEGORIES: Step Light, Floor Washer		APPLICATION: Wall	IP67	IK07	



Chelsie 140	FINISH: Natural Brown
-------------	-----------------------



Chelsie 40	FINISH: Matte Champagne
------------	-------------------------



Chelsie 40	FINISH: Matte Grey
------------	--------------------



Chelsie 140

FINISH: Matte Black

Lodes Outdoor Collection

CHELSIE est un floorwasher essentiel et décoratif qui crée des jeux de lumière raffinés, ou un marqueur de chemin dans la version plus compacte. Un doux mouvement concave dissimule la source lumineuse et laisse la lumière se diffuser tandis que le corps métallique présente un faisceau ouvert pour un rendement lumineux élevé. Disponible en cinq ou six finitions selon le diamètre. La source lumineuse est délibérément conçue pour en souligner l'aspect décoratif du signe graphique. Disponible en deux tailles dotées d'une puissance lumineuse exceptionnelle, CHELSIE offre une grande liberté créative : le modèle plus petit, en répétition, illumine les marches et les chemins avec un rythme discret et uniforme ; la version plus grande, installée le long des murs, devient un élément qui rythme les espaces extérieurs. ■ FR


CHELSIE ist ein unentbehrlicher und dekorativer Floorwasher der raffinierte Lichtspiele kreiert, oder eine Orientierungsleuchte in einer kompakteren Ausführung. Eine dezente Aussparung verbirgt die Lichtquelle und ermöglicht die Streuung des Lichts, während der Metallkörper über einen Abstrahlbereich mit hoher Lichtleistung verfügt und je nach Durchmesser in fünf oder sechs Ausführungen erhältlich ist. Die Lichtquelle ist bewusst so gestaltet, dass sie auch den dekorativen Aspekt ihres grafischen Zeichens hervorhebt. Erhältlich in zwei Größen, die sich beide durch eine außergewöhnliche Leuchtkraft auszeichnen, bietet CHELSIE gestalterischen Spielraum: Das kleinere, wiederholt installierte Modell, beleuchtet Stufen und Wege in einem diskreten und gleichmäßigen Rhythmus; die größere, entlang von Wänden angebrachte Version wird zu einem Element, das in Außenbereichen Akzente setzt. ■ DE

CHELSIE es un floor washer esencial y decorativo que crea refinados juegos de luz o un señalizador de paso en la versión más compacta. Un suave rebaje oculta la fuente luminosa y permite que la luz se difunda, mientras que el cuerpo metálico tiene un haz abierto con alto rendimiento luminoso y está disponible en cinco o seis acabados dependiendo del diámetro. La fuente luminosa se ha diseñado deliberadamente para resaltar también el aspecto decorativo de su signo gráfico. Disponible en dos tamaños, ambos caracterizados por una extraordinaria potencia luminosa, CHELSIE ofrece libertad creativa: el modelo más pequeño, en repetición, ilumina escalinatas y recorridos con un ritmo discreto y uniforme; la versión más grande, instalada a lo largo de las paredes, se convierte en un elemento que marca los espacios exteriores. ■ ES


CHELSIE –незаменимый и декоративный напольный светильник, создающий утонченную игру света или подсветку ступеней в более компактной версии. Мягкое углубление прячет внутри источник света и позволяет ему рассеиваться, в то время как металлический корпус образует открытый луч с высокой светоотдачей. Корпус доступен в пяти или шести вариантах отделки, в зависимости от диаметра. Источник света был намеренно спроектирован так, чтобы подчеркнуть декоративный аспект графического элемента. Светильник CHELSIE выпускается двух размеров; оба размера отличаются необычайной мощностью освещения и предлагают особую творческую свободу: несколько светильников меньшего размера освещают ступени и переходы со сдержанным и равномерным ритмом; больший по размеру вариант, установленный вдоль стен, становится элементом, украшающим наружные пространства. ■ RU

CHELSIE是一款精简且具有装饰性的地板灯，可营造精致的灯光效果，紧凑版本也可作为台阶灯。一条柔软的凹槽隐藏了光源并使光线得以漫射，而金属主体具有高光输出的开放式光束并可根据直径提供五种或六种饰面。光源经过有意而为之的精心设计，也是为了强调其图形标志的装饰性。两种可选尺寸均具有非凡光能，CHELSIE可提供创作自由：较小型号可重复照亮台阶和道路，具有低调且统一的节奏；较大版本沿着墙壁安装，可变身作为一种标记外部空间的元素。■ ZH

Chelsie 40



Chelsie 140




Chelsie 140

FINISH: Matte Grey

Chelsie 40

Dimensions
Dimensioni



Recessed box included
Controcassa inclusa

Category
Categoria

Step Light

Year	2025		
Designer	Patrick Norguet		
Voltage Voltaggio	24 V		
IP67	IK07	Wet Location	
  			
Net weight Peso netto	0,10 kg 0,22 lbs	Pack Colli	1

Light source
Sorgente luminosa

80101	24V
LED 1,2 W	CRI ≥ 90 MacAdam < 3-Step
Cable length 0,5 m	Rubber cable Section 2× AWG 20
  	

Remote driver required
(NOT INCLUDED).
Driver remoto necessario
(NON INCLUSO).

Finish
Finitura

10	32	20	44	45	69
Matte White Bianco Opaco	Matte Grey Grigio Opaco	Matte Black Nero Opaco	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro

Colour temperature
Temperatura colore


22	27	30
2200 K	2700 K	3000 K
90 lm 32 lm	93 lm 33 lm	95 lm 34 lm
Nominal Flux Delivered Flux	Nominal Flux Delivered Flux	Nominal Flux Delivered Flux

Recessed box included



Chelsie 140

Dimensions
Dimensioni



Available for installation on flush-mount boxes with fixing spacing 83,5 mm - 3,28" or 60 mm - 2,36" (standard 503 or 502).

Disponibile per installazione su scatole ad incasso con interasse di fissaggio 83,5 mm - 3,28" o 60 mm - 2,36" (standard 503 o 502).

Category
Categoria

Floor Washer

Year	2025		
Designer	Patrick Norguet		
Voltage Voltaggio	24 V		
IP67	IK07	Wet Location	
			
Net weight Peso netto	0,40 kg 0,88 lbs	Pack Colli	1

Light source
Sorgente luminosa

80102	24V
LED 2,3 W	CRI ≥ 90 MacAdam < 3-Step
Cable length 0,5 m	Rubber cable Section 2× AWG 20
  	

Remote driver required
(NOT INCLUDED).
Driver remoto necessario
(NON INCLUSO).

Finish
Finitura

32	20	44	45	69
Matte Grey Grigio Opaco	Matte Black Nero Opaco	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro

Colour temperature
Temperatura colore

22	27	30
2200 K	2700 K	3000 K
296 lm 158 lm	364 lm 194 lm	375 lm 200 lm
Nominal Flux Delivered Flux	Nominal Flux Delivered Flux	Nominal Flux Delivered Flux

REED, designed by Lodes, 2025

REED

REED is a lighting solution inspired by reeds, designed to be planted directly into the ground, either individually or in repetition. Its name–“reed” in English–already conveys its essence: a slender metal tube emerging from the soil like a plant element, ready to illuminate with quiet discretion. A choice of diffusers–onion-shaped, spherical, or spike-like–enhances the illusion of a natural extension of the surrounding vegetation. Whether used alone or in groups, REED blends into nature, creating installations with evocative atmospheres. REED can be inserted directly into the ground at the desired angle, thanks to a structure specifically designed to adapt to the environment, almost to the point of disappearing within it.

REED è una soluzione luminosa ispirata ai giunchi, da piantare direttamente nel terreno singolarmente o in ripetizione. Il nome, che in inglese significa “giunco”, racconta già la sua essenza: un sottile tubicino metallico che emerge dal terreno come un elemento vegetale, pronto a illuminare con silenziosa discrezione. Un sistema di 3 diffusori tra cui l’utente può scegliere, accentua l’illusione di una naturale continuazione della vegetazione circostante: da sola o in gruppo, REED si confonde nella natura creando installazioni di suggestive atmosfere. REED può essere piantato direttamente nel terreno con l’inclinazione desiderata grazie a una struttura progettata proprio per adattarsi al contesto fino quasi a mimetizzarsi.

Lodes

Reed Pod, Oval 60, Oval 90		cod: 806		Click to discover more +	
				Go to the technical info +	
CATEGORY: Spike Light		APPLICATION: Floor (GROUND)	IP67	IK08	



Reed Pod	FINISH: Matte Champagne
----------	-------------------------



Reed Pod, Reed Oval 60, Reed Oval 90

FINISHES: Matte Champagne, Natural Brown



Reed Pod	FINISH: Matte Champagne
----------	-------------------------



REED est une solution lumineuse s’inspirant des joncs, à fixer directement dans le terrain, individuellement ou en répétition. Ce nom anglais qui signifie jonc raconte à lui seul son essence : un fin tube métallique qui sort du sol comme un élément végétal, prêt à illuminer avec une discrétion silencieuse. Un système de diffuseurs au choix de l'utilisateur – en forme d'oignon, de boule et d'épi – accentue l'illusion d'une continuation naturelle de la nature environnante : seul ou en groupe, REED se fond dans la nature et crée des installations aux atmosphères suggestives. Le corps peut être planté directement dans le sol selon l'angle souhaité grâce à une structure conçue expressément pour s'adapter au contexte, jusqu'à quasiment disparaître. ■ FR

REED ist eine von Schilfrohr inspirierte Beleuchtungs-lösung, die einzeln oder in Reihe direkt in den Boden eingelassen werden kann. Die Bezeichnung, die im Englischen “Schilf” bedeutet, beschreibt bereits ihr Wesen: Ein dünnes Metallrohr, das wie ein Pflanzenelement aus dem Boden ragt, um mit dezenter Zurückhaltung für Beleuchtung zu sorgen. Ein Diffusorensystem, aus dem der Benutzer wählen kann – zwiebel-, kugel- und ährenförmig – verstärkt die Illusion einer natürlichen Fortsetzung der umliegenden Vegetation: Einzeln oder in einer Gruppe fügt sich REED in die Natur ein und kreiert stimmungsvolle Installationen. Der Stab kann dank einer sich fast bis zur vollkommenen Unauffälligkeit an die Umgebung anpassenden Struktur, direkt im gewünschten Winkel in den Boden eingelassen werden. ■ DE

REED es una solución luminosa inspirada en los juncos, para plantar directamente en el suelo de forma individual o repetida. El nombre, que en inglés significa “junco”, ya cuenta su esencia: un fino tubo metálico que emerge del suelo como un elemento vegetal, listo para iluminar con silenciosa discreción. Un sistema de difusores entre los que el usuario puede elegir – en forma de cebolla, bola y espiga – acentúa la ilusión de una continuación natural de la vegetación circundante: sola o en grupo, REED se confunde con la naturaleza creando instalaciones de evocadoras atmósferas. El poste puede plantarse directamente en el suelo con la inclinación que se quiera gracias a una estructura diseñada para adaptarse al contexto hasta casi mimetizarse. ■ ES

REED—это осветительное решение, вдохновленное камышом, которое можно устанавливать прямо в землю по отдельности или группами. Название, в переводе с английского означающее «камыш», уже передает его суть: тонкая металлическая трубка, вырастающая из земли, словно растительный элемент, готовый бесшумно и незаметно освещать пространство. Система диффузоров, выбираемых пользователем, в форме луковицы, шара или колоска, подчеркивает иллюзию естественного продолжения окружающей растительности: установленный отдельно или в группе, REED сливается с природой, создавая инсталляции с чарующей атмосферой. Столбик можно вбить прямо в землю под нужным углом благодаря структуре, специально разработанной для адаптации к окружающему пространству до почти полного слияния. ■ RU

REED是一项受灯心草启发的发光解决方案，可单独或以重复方式直接栽入地面。其名字在英文中意为“灯心草”，已将其本质尽显无疑：一根细细的金属管如植物元素一般从地面冒出，随时准备以低调静默的方式进行照明。用户可在洋葱形、球形和麦穗形这三种形状中选择扩散灯罩系统，突出周围植被自然延续的幻觉：单独或成组，融入自然的REED可创造出具有迷人氛围的安装组合。得益于其专门设计的结构，撑柱可按所需角度直接栽入地面，以适应环境甚至几乎自我伪装。■ ZH



Reed Pod

FINISHES: Matte Champagne, Natural Brown, Natural Green




Reed Oval 60, Reed Oval 90

FINISH: Matte Anthracite



Reed 30

Dimensions
Dimensioni




Category Categoria		Spike Light	
Year		2025	
Designer		Lodes	
Voltage Voltaggio		24 V	
IP67		IK08	
		Wet Location	
			
Net weight Peso netto	A	0,17 kg 0,37 lbs	Pack Colli 2
	B	0,21 kg 0,46 lbs	
	C	0,45 kg 0,99 lbs	

Light source
Sorgente luminosa

80611	24V
LED 0,3 W	CRI ≥ 90 MacAdam < 3-Step
Cable length 1,5 m	Rubber cable Section 2× AWG 20

Remote driver required
(NOT INCLUDED).
Driver remoto necessario
(NON INCLUSO).



Finish
Finitura

44	45	69	70
Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro	Natural Green Verde Natura



Colour temperature
Temperatura colore

22	27	30
2200 K	2700 K	3000 K
80 lm 34 lm	86 lm 40 lm	94 lm 48 lm
Nominal Flux Delivered Flux	Nominal Flux Delivered Flux	Nominal Flux Delivered Flux

Diffuser
Diffusore



A	B	C
Pod	Oval 60	Oval 90

Reed 60



Category Categoria		Spike Light	
Year		2025	
Designer		Lodes	
Voltage Voltaggio		24 V	
IP67		IK08	
		Wet Location	
			
Net weight Peso netto	A	0,20 kg 0,44 lbs	Pack Colli 2
	B	0,24 kg 0,52 lbs	
	C	0,48 kg 1,05 lbs	

Reed 90



Category Categoria		Spike Light	
Year		2025	
Designer		Lodes	
Voltage Voltaggio		24 V	
IP67		IK08	
		Wet Location	
			
Net weight Peso netto	A	0,22 kg 0,48 lbs	Pack Colli 2
	B	0,26 kg 0,57 lbs	
	C	0,50 kg 1,10 lbs	

Light source Sorgente luminosa	80612	24V
	LED 0,3 W	CRI ≥ 90 MacAdam < 3-Step
	Cable length 1,5 m	Rubber cable Section 2× AWG 20
Remote driver required (NOT INCLUDED). Driver remoto necessario (NON INCLUSO).		
  		

Finish Finitura	44	45	69	70
	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro	Natural Green Verde Natura

Colour temperature Temperatura colore	22	27	30
	2200 K	2700 K	3000 K
	80 lm 34 lm Nominal Flux Delivered Flux	86 lm 40 lm Nominal Flux Delivered Flux	94 lm 48 lm Nominal Flux Delivered Flux

Diffuser Diffusore	A	B	C
	Pod	Oval 60	Oval 90

Light source Sorgente luminosa	80613	24V
	LED 0,3 W	CRI ≥ 90 MacAdam < 3-Step
	Cable length 1,5 m	Rubber cable Section 2× AWG 20
Remote driver required (NOT INCLUDED). Driver remoto necessario (NON INCLUSO).		
  		


Finish Finitura	44	45	69	70
	Matte Anthracite Antracite Opaco	Matte Champagne Champagne Opaco	Natural Brown Testa di Moro	Natural Green Verde Natura

Colour temperature Temperatura colore	22	27	30
	2200 K	2700 K	3000 K
	80 lm 34 lm Nominal Flux Delivered Flux	86 lm 40 lm Nominal Flux Delivered Flux	94 lm 48 lm Nominal Flux Delivered Flux

Diffuser Diffusore	A	B	C
	Pod	Oval 60	Oval 90

Cable connection accessories

Solutions for safe and waterproof low-voltage wiring (IP68)

Products Prodotti	Voltage Voltaggio	Description Descrizione	Code Codice
Chelsie 40 Chelsie 140	24 V 24 V	Extra-thin cable-to-cable connection clamp 3-pole terminal for in-line. Number of poles: 3 Compatible cables: Ø 3,5–7 mm Ø 0,13"–0,27" Ingress protection rating: IP68 Dimensions: Ø 7–10 mm Ø 0,27"–0,39" Ø 20 × 65 mm Ø 0,78" × 2,56" 	MOR-0054
Focus 28 Focus 48 Focus 60	24 V 24 V 24 V		
Kinno	24 V		

Power consumption details

Schematic overview of total system wattage and LED module only

			Pag.	Tech. info
	Product name	Category	054	062
	Chelsie	Step Light, Floor Washer		
		Application		
		Wall		
Product name		Voltage	Total LED power	
Chelsie 40		24 V	1,5 W	
Chelsie 140		24 V	2,5 W	
	Product name	Category	014	030
	Focus	Multifunctional Projector		
		Applications		
		Floor, Wall, Ceiling		
Product name		Voltage	Total LED power	
Focus 28		24 V	3,5 W	
Focus 48		24 V	7 W	
Focus 60		24 V	15 W	
	Product name	Category	038	048
	Kinno	Bollard		
		Applications		
		Floor, Wall, Ceiling		
Product name		Voltage	Total LED power	
Kinno		24 V	8 W	
	Product name	Category	064	074
	Reed	Spike Light		
		Application		
		Floor (Groud)		
Product name		Voltage	Total LED power	
Reed		24 V	0,4 W	

Lifetime

			Pag.	Tech. info					Pag.	Tech. info	
	Product name	Lifetime	054	062		Product name	Lifetime	038	048		
	Chelsie	L80B50 > 60.000 h				Kinno	L80B50 > 60.000 h				
	Product name	Lifetime	014	030		Product name	Lifetime	064	074		
	Focus	L80B50 > 60.000 h				Reed	L80B50 > 60.000 h				

Glossary

Certifications			
	The ETL Listed mark indicates that the product has been tested by an accredited third party laboratory in compliance with the applicable product regulations (UL standards) and minimum safety requirements in order to be sold and distributed in North America.		EAC marking confirms the compliance of the products with the Eurasian Customs Union.
	IT Il marchi ETL Listed indica che il prodotto è stato testato da un laboratorio di terza parte accreditato, nel rispetto delle norme di prodotto applicabili (standard UL) e dei requisiti minimi di sicurezza, per poter essere venduto e distribuito nel territorio nordamericano.		EAC un marchio che attesta la conformità delle merci alle norme dell'Unione doganale euroasiatica.



Insulation Class			
	Class I device » connection to the yellow/green protective conductor (ground) is compulsory.		Class II » device in which protection against electric shock is based solely on double and/or reinforced insulation. These devices do not have earthing devices.
	Apparecchio in Classe I » è obbligatoria la connessione al conduttore di protezione giallo/verde (messa a terra).		Apparecchio in Classe II » nel quale la protezione contro la scossa elettrica si basa unicamente sul doppio isolamento e/o isolamento rinforzato. Questi apparecchi non prevedono dispositivi per la messa a terra.
			Class III » device in which protection against electric shock is based on a separated extra low voltage (SELV) supply and in which no higher voltages are produced.
			Apparecchio in Classe III » Apparecchio in cui la protezione contro la scossa elettrica si basa sull'alimentazione a bassissima tensione di sicurezza (SELV) e in cui non si producono tensioni superiori alla stessa.






Levels of protection			
IP » Level of protection. The IP code or ingress protection code indicates how well a device is protected against water and dust. It is defined by the International Electrotechnical Commission (IEC) which classifies and provides a guideline to the degree of protection provided by mechanical casings and electrical enclosures against intrusion, dust, accidental contact, and water.		An IP20 rating means the product is touchproof and will be resistant to dust or objects that are over 12 mm – 0,47” in size.	
IP » Il codice IP è un parametro definito dallo standard internazionale IEC 60529 (pubblicato dalla Commissione elettrotecnica internazionale), che classifica e valuta il grado di protezione fornito da involucri meccanici e quadri elettrici contro l'intrusione di particelle solide (quali parti del corpo e polvere) e l'accesso di liquidi.		Il grado di protezione IP20 significa che il prodotto è touchproof e resistente alle particelle di polvere o a oggetti di dimensioni superiori a 12 mm – 0,47”.	
	An IP54 rating means that your product will be protected against contamination from limited amounts of dust and other particles. Additionally, you can be confident that it will be protected from water sprays from all directions.		An IP65 Rating means the product has the highest level of dust protection, and is able to withstand low-pressure water jets from all directions.
	Il grado di protezione IP54 significa che il prodotto è protetto dalla contaminazione di quantità limitate di polvere e altre particelle. Inoltre, è garantita la protezione dagli spruzzi d'acqua provenienti da tutte le direzioni.		La classificazione IP65 significa che il prodotto ha il massimo livello di protezione dalla polvere ed è in grado di resistere a getti d'acqua a bassa pressione provenienti da tutte le direzioni.
			Products with an IP67 Rating are waterproof due to their high levels of both solid and water ingress.
			I prodotti con classificazione IP67 sono impermeabili grazie agli elevati livelli di resistenza all'ingresso di acqua e solidi.
			Wet Location » a place where water or other liquids can drip, splash, or flow into or against electrical equipment.
			Wet Location » un ambiente in cui acqua o altri liquidi possono gocciolare, schizzare o scorrere all'interno o contro apparecchiature elettriche.

EU Energetic Label		
	Energy efficiency classes (with a scale from A to G). It indicates the Energy efficiency class of a product.	
	Classi di efficienza energetica (con una scala da A a G). Indica la classe di efficienza energetica di un prodotto.	

Input Voltage		
	Input Voltage of the fixture.	
	Tensione di ingresso dell'apparecchio.	

Dimming		
	Dimmable via remote driver with PWM control.	
	Dimmerabile tramite driver remoto con controllo PWM.	

Categories					
					
Step Light	Floor Washer	Multifunctional Projector	Bollard	Spike Light	

Applications					
					
Suspension Sospensione	Wall Parete	Ceiling Soffitto	Table Tavolo	Floor Terra	

Art. 1 Recital

Unless otherwise provided for in a separate written agreement between the parties, every sale of products of Lodes S.r.l., VAT 02992370276 (hereinafter, “the Seller”) is governed by the following General Conditions of Sale that must be considered as an essential part of this agreement and shall be deemed to have been accepted by the Buyer even though the latter has not signed them. Any clause unilaterally added by the Buyer in the documentation signed by it and / or in its correspondence, being against or in any case in addition to the general conditions or to those specific expressly approved in writing by the Seller, shall be deemed as not written and shall be of no effect.

Art. 2 Completion of the sale, quantities and prices

The sale is deemed to be completed once the Seller gives the written order confirmation also by fax and / or email or when deliveries are commenced in cases where the immediate delivery of the supply is requested, also in consideration of changes occurred and then accepted by the customer. The prices agreed are understood for products delivered ex works of the Seller and do not include services and accessory charges (such as VAT, special packaging, transport and installation costs, and / or assemblages and so on).

Art. 3 Delivery, risk transfer and transport

Products are delivered to the Buyer at the Seller's plant or at another place indicated in writing by the Seller, and the risk transfer takes place with the delivery of the goods to the first carrier or Buyer in the events of collection of goods directly carried out by the latter. The products always travel at the Buyer's sole risk also when the carrier is selected and appointed by the Seller, being the latter freed from all responsibilities after having delivered the products to the carrier, this delivery is deemed to all effects being carried out directly by the said Buyer. The delivery terms agreed are to be understood as indicative. If the Seller is responsible for delay of delivery for a period of up to 60 days, the Buyer is not entitled either to refuse the supply or to request the termination of the agreement and / or the compensation for any damages. If the delay in delivery exceeds 60 days, the Buyer is entitled to request – by registered letter – the cancellation of the order and the reimbursement of the advances if paid. In any event, the Seller shall not be liable for and / or direct and indirect damages of any nature and for any reason due to the delay or the failure to carry out the supply.

Art. 4 Reservation of title

The Buyer acquires property rights over the goods with the full payment of the price invoiced of the supplies but it takes the risks thereof as of the delivery.

Art. 5 Products features and conditions of use

Unless otherwise expressly agreed in writing by the parties, the conditions for using of the products are those communicated or in any case resulting from the drawings and technical specifications of the Seller, if any, or as described in the website www.lodes.com in relation to products. The quality levels of products are the standard quality levels of the Sellers, indicated in the relevant specifications as described on the Seller's website. It is always the Buyer's responsibility to identify and notify the Seller of the conditions of use of products before technically defining them. Failing any particular instructions from the Buyer, the Seller considers as usual conditions of use those it considered or described in its designs and technical documentation. Drawings, materials, and colours of the products included in catalogues / website and more generally in all advertising material are indicative. The Seller reserves the right, without notice, to modify the characteristics of its products, as well as their availability. Technical data, images, and information regarding the products are not binding on the Seller, who will not be held responsible for any discrepancies and / or illustrative and / or textual errors. Further product characteristics are contained in the respective technical sheets and / or instruction sheets.

Art. 6 Warranty

The products delivered are covered by a warranty for defects in material and manufacture for a period of 24 months as of the delivery if the Buyer is a natural person, otherwise the warranty period will be of 12 months as of the delivery. The Seller shall replace the products delivered in this warranty period being

faulty due to factory defects or in alternative, at its discretion, pay the Buyer an amount equal to the price already invoiced of the said products, being expressly excluded and waived any other right or claim by the Buyer also as compensation for direct and / or indirect damages or cost repayment borne by it (such as recovery, technical assistance, recalling costs, etc.). The Seller will anticipate the delivery of the replaced product, invoicing it regularly. Successively, when the product arrives to the Seller's warehouse, the latter will credit the amount of the defective product. The transport's costs will be paid by the Seller. Should the defected item be returned in an inadequate non-original packaging, with damages connected to the transport, The Seller will not credit any amount to the Buyer, and it will return the product to the sender at his own expenses. If the replacement was made for alleged defects in material and manufacture, but after the control carried out by the Seller, it is considered (i) unfounded, due to the absence of defects; (ii) further damaged by insufficient packaging in the return transport (iii) spoiled by tampering made by the Buyer, all transportation costs and the entire value of the product will be charged to the latter. Any defectiveness or non-compliance of products shall be reported by the Buyer by writing to the Seller – in order to be valid – within 8 days from receipt of goods; any hidden defects shall be reported by the Buyer by writing to the Seller – always in order to be valid – within 8 days as of the relevant discovery. It being understood that the Seller will not be responsible for any defect even though hidden, being notified in writing, after 24 months of the delivery of goods. Every single product bears the CE marking and meets the essential requirements of all applicable directives and regulations within the European Union. Products marked with the UL and / or ETL label comply with North American standards and have been evaluated, inspected, and certified by a third-party organization authorized to issue the mark.

Art. 7 Warranty Exclusion

The warranty shall not apply in the following cases:

- defects attributable to the Buyer's negligence and / or use of the products not in accordance with the information and explanations provided in any case by the Seller, the technical documentation, incorrect design, application, installation, or construction of the structures in which the products are installed;
- aesthetic defects that do not significantly affect the intended use of the product;
- improper storage, handling and transportation, improper or careless use, including cases where the electrical system or its capacity is not suitable;
- normal wear and tear of the product or its components and / or normal performance degradation due to usage (e.g. light sources, batteries and / or mechanical parts);
- defects in the software installed in the product;
- damages caused by lack of and / or poor maintenance or repair attempts carried out by unqualified individuals and / or not previously authorized by the Seller and / or using non-original spare parts (including electronic power supplies and drivers) or different parts than those indicated by the Seller;
- damages caused by malfunctions in the power supply network, force majeure events, or in any case circumstances not attributable to defects or faults in manufacturing by the Seller.

In any case, the warranty does not cover:

- any ancillary costs arising from the repair of the defect (including but not limited to: labor and travel costs for disassembly and reassembly, transportation costs related to the defective product and the repaired product, disposal costs, etc.). Such costs shall be borne by the Buyer;
- products bearing trademarks of other companies that are distributed by the Seller.

Art. 8 Buyer's Obligations

The Buyer is required to immediately take delivery of the goods given by the Seller to the carrier, or – where otherwise agreed – to timely collect them at the Seller's plant on the date on which the Seller communicates, by any means, that the goods are ready. Where the Buyer delays the collection of the production for a period exceeding 10 days, in addition to the payment of price it shall pay the Seller a proper compensation equal to 2% per day of the price invoiced for storing such products. The Buyer shall carry out the payments normally, in accordance with the terms and conditions specified in the invoice. For late payments it will be

accrued by default without need of further notification interest under Legislative Decree no. 231 / 2002. In the event of payment delays, the Seller is entitled to immediately suspend any supply, even though it has concluded other agreements with the same Buyer. The failure to pay within the terms agreed will cause in any event the loss of favourable terms for the Buyer.

Art. 9 Replacement of the Product

If a product is returned for commercial reasons or for a mistake in the order made by the Buyer, the Seller will retain an amount equal to the 20% of the total price as cost for reconditioning the product. If the returned product had already been used and / or it has been returned in an inadequate original packaging, with consequent transport damages, the Seller will not credit to the Buyer any amount and it will return the product to the sender at his own expenses. Only the articles in the catalogue and in the price list in force at the time of the request will be taken into consideration. Transport's costs are always charged to the Buyer. The repair of damaged products will be authorized only if the damage has been caused by the Buyer. The Buyer, once accepted repair costs, will take care of returning the damaged product to the Seller's warehouse and it will pay the costs of transporting the repaired product.

Art. 10 Force majeure

If the Seller is unable to comply with the agreement due to force majeure or beyond its control events, the deadlines set for the supply are automatically extended for a period in which these effects continue. Where the obstacle to comply with the agreement is longer than 6 months, both parties may request the termination of the agreement and, in such event, the Seller repay the Buyer the advances received, if any, releasing itself from any additional obligation on it.

Art. 11 Agreement

In the event of execution of a specific agreement signed by the parties, the said agreement together with its Annexes provides for and summarizes the obligations validly undertaken by the parties and being binding for them. The fulfilment by the parties will be subject to effective evaluation of the actual performance of the contractual tasks and duties to be carried out in good faith, with honesty and fairness. These General Conditions of Sale shall apply to the agreement, unless otherwise provided in writing by the parties or expressly provided in the said agreement.

Art. 12 Privacy Policy

The Seller will use the data received from the Buyer in accordance with the provisions of the article 13 of EU Regulation 2016 / 679 of 27 April 2016 (GDPR). For more information are available at the following link: www.lodes.com/it/privacy-policy.

Art. 13 Disputes

Any dispute which may arise concerning the signing, validity, interpretation, performance, amendment and termination of the agreement or of these General Conditions of Sale will be settled according to principles and rule set forth in Article 14 below.

Art. 14 Jurisdiction and Applicable Law

The Court of Milan, Italy, shall be held exclusively competent, being any other court of competent jurisdiction expressly excluded, and the Italian Law shall be applicable.

Art. 15 Website

These General Conditions of Sale are those indicated on the website www.lodes.com and may be printed and reproduced on paper. The Seller undertakes to update the website www.lodes.com by publishing on it the version of the General Conditions of Sale as amended from time to time.

Art. 1 Premessa

Salvo deroga risultante da apposito accordo scritto tra le parti, ogni compravendita di prodotti di Lodes S.r.l., P.IVA 02992370276 (di seguito: “Venditore”) è regolata dalle seguenti Condizioni Generali di Vendita che costituiscono parte essenziale del contratto e che si intendono pertanto accettate dal Compratore ancorché dallo stesso non sottoscritte. Qualsiasi clausola unilateralmente apposta dal Compratore nei documenti da lui sottoscritti e / o nella sua corrispondenza, che sia contraria o comunque in aggiunta alle seguenti condizioni generali od a quelle speciali espressamente approvate per iscritto dal Venditore, si intende come non scritta ed è priva di ogni effetto.

Art. 2 Perfezionamento della compravendita, quantitativi e prezzi

La compravendita si intende perfezionata con la conferma d'ordine scritta del Venditore anche a mezzo fax e / o posta elettronica o con l'inizio delle consegne per i casi in cui è stata richiesta l'immediata consegna della fornitura anche in presenza di modifiche intervenute e quindi accettate dal cliente. I prezzi concordati si intendono per prodotti consegnati franco stabilimento del Venditore e non comprendono prestazioni ed oneri accessori (quali IVA, imballo speciale, spese di trasporto, di installazione e / o montaggi e così via).

Art. 3 Consegna, trasferimento del rischio e trasporto

La merce viene consegnata al Compratore presso lo stabilimento del Venditore o in altro sito dallo stesso indicato per iscritto, ed il trasferimento del rischio avviene con la consegna della stessa al primo vettore o al Compratore nelle ipotesi di ritiro della merce da quest'ultimo direttamente eseguita. La merce viaggia sempre a rischio esclusivo del Compratore anche quando il vettore dovesse essere scelto ed incaricato dal Venditore, essendo quest'ultimo liberato da ogni responsabilità con la consegna dei prodotti al vettore, che ad ogni effetto si intende eseguita a mani dallo stesso Compratore. I termini di consegna pattuiti si intendono indicativi. In caso di ritardo nella consegna imputabile al Venditore per un periodo fino a 60 gg il Compratore non ha il diritto di rifiutare la fornitura, né di richiedere la risoluzione del contratto e / o il risarcimento di alcun danno. Se il ritardo nella consegna supera il termine di 60 gg il Compratore ha la facoltà di richiedere – con lettera raccomandata – l'annullamento dell'ordine e la restituzione degli anticipi eventualmente versati. Resta in ogni caso escluso qualsivoglia obbligo del Venditore di risarcimento danni diretti e / o indiretti di qualsiasi natura e per qualsiasi ragione, in dipendenza del ritardo ovvero della mancata esecuzione della fornitura.

Art. 4 Riserva di proprietà

Il Compratore acquista la proprietà della merce solo con il pagamento integrale del prezzo fatturato delle forniture ma ne assume i rischi dal momento della consegna.

Art. 5 Caratteristiche dei prodotti e condizioni di utilizzo

Salvo diverso ed espresso accordo scritto tra le parti, i parametri funzionali dei prodotti sono quelli espressi comunicati o comunque risultanti nei disegni e specifiche tecniche del Venditore se esistenti o su quanto indicato sul sito web www.lodes.com relativamente ai prodotti. I livelli di qualità dei prodotti forniti sono quelli standard del Venditore, evidenziati nelle relative specifiche o su quanto indicato e desumibile sul sito web del Venditore. È onere del Compratore individuare e comunicare al Venditore le condizioni di utilizzo dei prodotti prima della relativa definizione tecnica. In mancanza di indicazioni da parte del Compratore il Venditore considera condizioni di utilizzo quelle di prassi dallo stesso considerate o esplicitate nei propri disegni e documentazione tecnica. I disegni, i materiali ed i colori dei prodotti inseriti sui cataloghi / sito internet e più in generale in tutto il materiale pubblicitario, si intendono a titolo indicativo. Il Venditore, si riserva il diritto, senza alcun preavviso, di modificare le caratteristiche dei propri prodotti, così come la disponibilità degli stessi. I dati tecnici, le immagini e le informazioni riguardo ai prodotti non sono vincolanti per il Venditore, il quale non risponderà per eventuali difformità e / o errori illustrativi e / o testuali. Ulteriori caratteristiche dei prodotti sono contenute nelle relative schede tecniche e / o fogli di istruzione.

Art. 6 Garanzie

I prodotti forniti sono coperti da garanzia per difetti di materiale e / o fabbricazione per un periodo di 24 mesi dalla consegna se il Compratore risulta essere una persona fisica, diversamente il periodo di garanzia sarà di 12 mesi dalla consegna. Il Venditore sostituisce i prodotti resi in detto periodo di garanzia e riconosciuti difettosi per vizi d'origine ovvero in alternativa ed a sua scelta accredita al Compratore una somma pari al prezzo già fatturato dei prodotti stessi, restando espressamente escluso e rinunciato qualsiasi diverso diritto o pretesa del Compratore anche a titolo di risarcimento danni diretti e / o indiretti o di rimborso di costi dallo stesso sostenuti (quali costo di riprese, di assistenza tecnica, di richiamo, ecc.). Il Venditore anticiperà l'invio del prodotto in sostituzione, fatturandolo regolarmente, andando poi ad accreditare l'importo alla riconsegna del prodotto difettoso reso. Le spese di trasporto saranno a carico del Venditore. Qualora l'articolo oggetto del reso venisse riconsegnato in un imballo non originale inadeguato con conseguenti danni da trasporto, il Venditore non accrediterà al Compratore alcun importo e rinvierà al mittente, a sue spese il prodotto. Qualora il reso venisse effettuato per presunti vizi d'origine ma dopo il controllo effettuato dal Venditore lo stesso venisse ritenuto (i) infondato, per assenza di vizi; (ii) ulteriormente danneggiato da insufficiente imballaggio nel trasporto di ritorno (iii) viziato da manomissione posta in essere dal Compratore, verranno addebitati a quest'ultimo tutti i costi di trasporto nonché l'intero valore del prodotto. Eventuali difettosità o non conformità dei prodotti devono essere segnalate dal Compratore per iscritto al Venditore – a pena di decadenza – entro e non oltre 8 gg dalla data di ricevimento della merce; eventuali difetti occulti devono essere segnalati dal Compratore per iscritto al Venditore – sempre a pena di decadenza – entro 8 gg dalla relativa scoperta. Resta inteso che il Venditore non sarà responsabile per alcun vizio ancorché occulto, comunicato per iscritto, oltre 24 mesi dalla consegna della merce. Ogni singolo prodotto riporta la marcatura CE e soddisfa i requisiti essenziali di tutte le direttive e normative cogenti all'interno dell'Unione Europea. I prodotti indicati con il marchio UL e / o ETL soddisfano i requisiti delle norme Nord Americane e sono stati valutati, ispezionati e certificati presso ente terzo preposto al rilascio del marchio.

Art. 7 Esclusione della Garanzia

La garanzia non opera in caso di:

- difetti imputabili a negligenza del Compratore e / o ad impiego dei prodotti non conforme con le informazioni e le spiegazioni in ogni caso fornite dal Venditore, alla documentazione tecnica, ad errata progettazione, applicazione, montaggio o fabbricazione delle strutture ove gli stessi sono installati;
- difetti estetici che non influiscono in maniera rilevante sull'utilizzo a cui è destinato il prodotto;
- errato magazzinaggio, movimentazione e trasporto, ad uso improprio od incauto, anche in caso di impianto elettrico e portata dello stesso non idonea;
- normale usura del prodotto o dei suoi componenti e / o normale peggioramento delle prestazioni a causa dell'utilizzo (es. sorgenti luminose, batterie e / o parti meccaniche);
- difetti del software installato nel prodotto;
- danni causati da mancata e / o cattiva manutenzione o tentativi di riparazione eseguiti da soggetti non qualificati e / o non preventivamente autorizzati dal Venditore e / o tramite pezzi di ricambio (inclusi alimentatori elettronici e drivers) non originali o comunque diversi da quelli indicati dal Venditore;
- danni provocati da malfunzionamenti della rete di alimentazione, eventi di forza maggiore o comunque da circostanze che non possano ricollegarsi a difettosità o vizi di produzione da parte del Venditore.

In ogni caso la garanzia non copre:

- tutte le spese accessorie che scaturiscono in seguito alla riparazione del vizio (a titolo esemplificativo e non esaustivo: le spese di manodopera e di trasferta per smontaggio e rimontaggio, il costo del trasporto relativo al prodotto affetto da vizi e del prodotto riparato, i costi di smaltimento, ecc.). Tali spese saranno a carico del Cliente;
- i prodotti, con marchio di aziende diverse, che il Venditore commercializza.

Art. 8 Obblighi del Compratore

Il Compratore è tenuto a prendere immediatamente in consegna i prodotti affidati dal Venditore al vettore, ovvero – se diversamente concordato – a puntualmente ritirarli presso lo stabilimento del Venditore alla data di

comunicazione di merce pronta che potrà avvenire con ogni mezzo da parte del Venditore. Ove il Compratore ritardi il ritiro dei prodotti per un periodo superiore a 10 gg, oltre al pagamento del prezzo deve corrispondere al Venditore un adeguato compenso pari al 2% al giorno dell'importo fatturato per il magazzinaggio degli stessi. Il Compratore deve effettuare i pagamenti normalmente, con le modalità e nei termini precisati in fattura. Sui ritardati pagamenti decorreranno, di pieno diritto e senza necessità di costituzione in mora, gli interessi di cui al D.lgs. n. 231 / 2002. In caso di ritardo dei pagamenti il Venditore ha diritto a sospendere immediatamente ogni fornitura, anche se dipendente da altri contratti con lo stesso Compratore. Il mancato pagamento nei termini pattuiti comporta in ogni caso la decadenza del Compratore dal beneficio del termine.

Art. 9 Resi

In caso di reso commerciale o in caso di reso per errore del Compratore, il Venditore tratterà un importo pari al 20% minimo del totale a titolo di costo di ricondizionamento dell'articolo. Qualora l'articolo oggetto del reso fosse già stato utilizzato e / o venisse riconsegnato in un imballo non originale inadeguato, con conseguenti danni da trasporto, il Venditore non accrediterà al Compratore nessun importo e rinvierà al mittente, a sue spese, il reso. Verranno presi in considerazione solamente gli articoli presenti nel catalogo e nel listino in vigore al momento della richiesta. Le spese di trasporto sono sempre a carico del Compratore. I resi per riparazione vanno autorizzati solo se la causa del danno è dipesa dal Compratore che dopo aver accettato il costo di riparazione si occuperà a proprie spese di rispedire l'articolo danneggiato in sede e si accollerà poi i costi relativi al trasporto del prodotto riparato.

Art. 10 Forza maggiore

Qualora il Venditore sia impossibilitato a rispettare il contratto per cause di forza maggiore o comunque indipendenti dalla sua volontà, i termini previsti per l'esecuzione della fornitura sono automaticamente prorogati per un periodo equivalente al perdurare degli effetti di tali cause. Qualora la causa impeditiva continui per più di 6 mesi entrambe le parti possono chiedere la risoluzione del contratto ed in tal caso il Venditore restituisce al Compratore gli anticipi eventualmente ricevuti, con esclusione di ogni e qualsiasi onere ulteriore a suo carico.

Art. 11 Contratto

In caso di sottoscrizione di apposito contratto lo stesso con i suoi allegati contiene e riassume le obbligazioni validamente assunte dalle parti e per esse vincolanti. L'adempimento delle parti sarà oggetto di valutazione dell'effettiva esecuzione dei compiti e doveri contrattuali, da effettuarsi in buona fede, onestà e con equità. Le presenti Condizioni Generali di Vendita si applicheranno al contratto salvo deroga risultante da atto scritto o in esso contratto esplicitamente prevista.

Art. 12 Trattamento dei Dati Personali

Il Venditore utilizzerà i dati ricevuti dal Compratore conformemente alle disposizioni vigenti in materia di Privacy secondo l'art. 13 del Regolamento Europeo 2016 / 679 (GDPR). Maggiori informazioni sono disponibili al seguente link www.lodes.com/it/privacy-policy.

Art. 13 Controversie

Qualora dovesse verificarsi una qualsivoglia controversia avente ad oggetto la formazione, validità, interpretazione, esecuzione, modifica e risoluzione del contratto o delle presenti Condizioni Generali di Vendita, questa sarà risolta secondo i principi e le regole indicate nell'articolo 14 che segue.

Art. 14 Foro competente e legge applicabile

Foro esclusivamente competente sarà quello di Milano con esplicita esclusione di ogni altro foro alternativamente competente, e la legge applicabile quella italiana.

Art. 15 Sito Web

Le presenti Condizioni Generali di Vendita, sono quelle risultanti sul sito web www.lodes.com e sono stampabili e riproducibili su supporto cartaceo. Il Venditore si impegna ad aggiornare il sito web www.lodes.com mediante la pubblicazione sullo stesso della versione di Condizioni Generali di Vendita di volta in volta modificata.

Terms and Conditions of Sale 2025/2026
Lodes Usa LLC

PRICES
The Prices shown in the LODES price list, or any order acknowledgement, are prices prevailing at the present time. Prices issued by a written quotation are firm for 60 (sixty) days from date of quotation. Prices are F.O.B. Edison, NJ. List prices do not include shipping charges, storage, sales and other taxes, or installation. LODES reserves the right to change prices prior to order without advanced notice.

ORDERING PROCEDURES
All orders must be in writing to avoid error and / or duplication. Telephone or verbal orders are not accepted. All purchase orders can be e-mailed directly to: usa@lodes.com

Change or cancellation of an order is not accepted without written consent from LODES.

Special orders cannot be changed or cancelled under any circumstances. Change or cancellation of standard stock orders must be made prior to shipment of goods. Notification of changes or cancellations must be in writing and directed to LODES. To expedite your order please make sure to provide the proper product name, quantity and color.

ADDITIONS
Additions to orders already received and entered in to production will be considered new orders.

ORDER/SIZE
LODES stock levels are maintained to provide for your immediate needs. Please call us at 201-903-0020 or email us at usa@lodes.com for large quantity orders.

PAYMENT TERMS
Unless otherwise agreed in writing, payment in full is due prior to the shipment of any goods. LODES Credit Manager will make credit sales only after receipt of a signed LODES, credit application and written credit approval. On all credit sales payment in full is due on the following terms: Net 30 days unless otherwise agreed to in writing by both parties. All payments not made by the due date shall bear interest at a rate of one and one-half (1.5) percent per month on the unpaid balance. Further, the Buyer shall reimburse and indemnify LODES for any and all costs of collection incurred in collecting any past due sums, including but not limited to collection agency fees, court fees, out-of-pocket expenses and reasonable attorney fees. At its option LODES, may decline to make shipment to Buyer if any invoice is past due. Buyer waives and releases any claim against LODES, for loss or damage actually and/or allegedly sustained by Buyer as a result of LODES, refusal to make shipment under such circumstances. All payments shall be made in U.S. dollars and, unless otherwise designated by LODES in writing, shall be sent to LODES, at the address listed below. For all custom orders a 50% non-refundable deposit is required prior to delivery.

LODES USA LLC
560 Springfield Avenue, Suite B
Westfield NJ 07090

Purchaser may make payment via major credit cards, PayPal or wire transfer. Orders over \$500.00, not including freight, are subject to a 3% credit card fee. For orders over \$10,000, customers with previously established credit may pay a 50% deposit upon placement of order with the balance due prior to shipment.

STORAGE
In the event that the Purchaser requests post payment of delivery beyond the scheduled shipping date and the goods are in production, LODES, may transfer the goods, when ready for shipment, to storage at the Purchaser's risk and expense.

SHIPMENTS
All orders are shipped F.O.B. Edison, NJ. LODES will select the method of shipment unless otherwise requested by the Purchaser with special instructions.

DROP SHIPMENTS
Drop shipments to customers are available at no additional cost. All standard terms and conditions apply.

FREIGHT CHARGES
Unless otherwise specifically requested by the Purchaser, all truck deliveries are pre-paid by LODES and billed to the Purchaser with the goods. 20% of the freight charge is added for the prepayment and handling. For shipment of merchandise via UPS LODES will charge a minimum freight and handling fee of \$10.00.

PACKAGING AND SHIPPING
Method of packaging is at LODES, option. All merchandise will be shipped by UPS, or common carrier, unless otherwise specified.

RETURNS
Requests to return non-defective merchandise must be made within 30 days from date of shipment and is subject to a minimum 30% restocking charge. All returned goods must be accompanied by a Returned Material Authorization (R.M.A.) issued by LODES. Only standard products from the current catalog are returnable. Custom orders or discontinued products are not subject to return. Merchandise must be returned in the original factory sealed cartons in sellable condition. Returns must be made freight prepaid within 30 days of the date of LODES's issuance of the R.M.A. All merchandise returned is subject to inspection. Credit will not be issued for damaged merchandise.

CLAIMS AND ADJUSTMENTS
All products from LODES are shipped free of defects. All products are shipped at Purchaser's risk. Responsibility for any product damage incurred during shipment is transferred to the transportation company upon pick up and the title passes to Buyer upon delivery by LODES carrier. Claims for shortages, losses and apparent or concealed damages sustained in transit shall be made by Buyer with the carrier. Buyer must notify the freight company, as well as LODES within 7 days. For shipments made by common carrier, claims for damage must be made directly to the carrier.

WARRANTY LODES
Warrants its products to be free of defects in materials and workmanship for a period of one year from date of delivery of the products. During this warranty period LODES will repair or at its option replace free of charge, products that are proven to be defective. This warranty does not apply to damages resulting from accident, alteration, tampering, misuse negligence or abuse. ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ALL IMPLIED WARRANTIES ARISING FROM A COURSE OF DEALING, USAGE OF TRADE, BY STATUTE OR OTHERWISE, IS HEREBY STRICTLY LIMITED TO THE TERM AND CONDITION OF THE MANUFACTURER DELIVERED WITH THE PRODUCT.

PRODUCT SPECIFICATIONS
At any time, any of the manufacturers distributed by LODES may introduce changes to improve the quality of their products while maintaining the basic features of the articles shown in their corresponding catalogs. The drawings, materials, and colors of the products included in catalogues / website and more generally in all advertising material are indicative. LODES reserves the right, without notice, to modify the characteristics of its products, as well as their availability. Technical data, images, and information regarding the products are not binding LODES, who will not be held responsible for any discrepancies and/or illustrative and / or textual errors. Further product characteristics are contained in the respective technical sheets and / or instruction sheets. Every product has a one-year guarantee. If the products are faulty, they will be replaced or repaired free of charge. In case of wrong use or installation this warranty is not valid.

INDEMNITY
Buyer is solely responsible for the selection, installation, and use of the goods. Therefore, to the fullest extent permitted by law, Buyer agrees to defend and indemnify LODES from and against any claims or damage, including attorney's fees, expert's or consultant's fees a rising from or relating to such selection, installation,

and use. This indemnity applies regardless of any action and / or passive negligent act or omission on the part of LODES or its employees. However, Buyer shall not be obligated to indemnify LODES for the sole negligence or willful misconduct of LODES or its employees.

GOVERNING LAW
The internal laws of the state of New Jersey, other than the choice of law rules of the state of New Jersey, shall govern the validity, interpretation and enforcement of these terms and conditions.

All claims or disputes arising out of or otherwise relating to these term and conditions shall be decided exclusively by Court of the Southern District of New York.

LODES USA, LLC
560 Springfield Avenue, Suite "B"
Westfield, NJ 07090
E-mail: usa@lodes.com
T 201-903-0021

Head Offices & Showroom

Lodes – via Pialoi 32,
30020 Marcon, Venice – Italy
T +39 041 45 69 266
General information
info@lodes.com

Lodes USA LLC
560 Springfield Avenue, Suite B
Westfield, NJ 07090 – USA
D 201 903 0020
usa@lodes.com

Lodes Milan Showroom

via della Moscova 33,
Cortile della Seta
20121 Milano (MI) – Italy
T +39 02 4940 0999
milano@lodes.com

Lodes Flagships

Lodes Paris – Novaluce
131 rue du Faubourg
Saint Honoré,
75008 Paris 8e – France
T +33 (0) 1 42 89 03 18
paris@lodes.com

Lodes Cologne
Design Post Köln
Deutz-Müllheimer-Str. 22a
50679 Köln – Germany

Lodes 2025
OUTDOOR Collection

Art direction
and graphic design
Multi Form

Images
Operavisual

Copywriting
Lodes

Colour separation
Luce Group

Printing
Grafiche Antiga

Lodes products were made using specific processing techniques and treatments, aimed at creating unique results. Any differences between individual items are therefore designed to ensure that every single product is special and unique.

Il prodotto *Lodes* sono stati realizzati con particolari lavorazioni e trattamenti al fine di ottenere risultati unici. Per tale ragione, eventuali differenze da pezzo a pezzo sono volte a garantire specialità ed unicità ad ogni singolo prodotto.

